

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/730,358	12/09/2003	Satofumi Kinei	900-484	1789
23117	7590 10/02/2006		EXAMINER	
NIXON & VANDERHYE, PC			MOORE, KARLA A	
901 NORTH GLEBE ROAD, 11TH FLOOR ARLINGTON, VA 22203		LOOK	ART UNIT	PAPER NUMBER
	•		1763	
			DATE MAILED: 10/02/2000	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Antique Commence	10/730,358	KINEI, SATOFUMI			
Office Action Summary	Examiner	Art Unit			
	Karla Moore	1763			
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	OATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 20 J	Responsive to communication(s) filed on 20 July 2006.				
· _ ·	s action is non-final.	•			
3) Since this application is in condition for allowed	·—				
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.			
Disposition of Claims					
 4) Claim(s) 1 and 3-13 is/are pending in the application. 4a) Of the above claim(s) 8 is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1,3-7 and 9-13 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 					
Application Papers					
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on <u>9 December 2003</u> is/an Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the E	re: a) \square accepted or b) \square objected drawing(s) be held in abeyance. See stion is required if the drawing(s) is objection.	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte			

Application/Control Number: 10/730,358 Page 2

Art Unit: 1763

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 4 and 9-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,074,696 to Sato in view of U.S. Patent No. 4,543,576 to Hieber et al.
- 3. Sato discloses a semiconductor device production apparatus substantially as claimed and comprising: a rotary table section (Figure 7, multiple parts as described hereafter) for supporting a wafer (S) therein and a hollow shaft (61 and 62) for rotating the rotary table section; a chamber (2) for housing the rotary table section; a heater (29) provided in the chamber for heating the wafer; a thermocouple (51a and 51b) having a distal and proximal ends, the distal end of the thermocouple being brought into close relation to the wafer; and a system for circulating cooling water (72) in the hollow shaft to cool structures.
- 4. However, Sato fails to teach a temperature measuring section coupled to the proximal end of the thermocouple/temperature sensing element and provided in the vicinity of the hollow shaft for sensing a temperature of the wafer through the thermocouple/temperature sensing element and converting the sensed temperature to a first signal and a signal generating section for converting the first signal into a second signal detectable from outside the chamber.
- 5. Heiber et al. disclose a semiconductor device production apparatus substantially as claimed in Figures 1-5 and comprising: a multi-part temperature sensing element for sensing the temperature of the wafer; temperature measuring section (25) for converting the sensed temperature into a first signal to output the first signal; and a signal generating section (26) for converting the output first signal into a second signal detectable from outside the chamber (via transmitter 27); wherein the temperature sensing element, the temperature measuring section and the signal generating section are attached to a rotary

table section (each is arranged in measuring system, 18, attached to pallet 7) for the purpose of measuring electrical resistance and temperature during the manufacture of thin films deposited on substrate wherein the measurement occurs contact-free and the overall measuring system is constructed in a miniaturized format so that it can be secured to the substrate holder without significant disruption of the geometry (abstract and column 3, rows 21-26).

Page 3

- 6. It would have been obvious to one of ordinary skill in the art to have provided an overall measuring system comprising in Sato further comprising a temperature measuring section coupled to the proximal end of the thermocouple/temperature sensing element and provided in the vicinity of the hollow shaft for sensing a temperature of the wafer through the thermocouple/temperature sensing element and converting the sensed temperature to a first signal and a signal generating section for converting the first signal into a second signal detectable from outside the chamber in order to carry out contact-free resistance and temperature measurements during a manufacturing process using a overall measuring system constructed in a miniaturized format so that it can be secured to the substrate holder without significant disruption of the geometry as taught by Heiber et al.
- 7. With respect to claim 4, in Heiber et al. the signal generating section comprises a wireless transmitter (27).
- 8. With respect to claims 9 and 10, Sato teaches that the purpose of the cooling section, which includes circulating a system of cooling water through and around the rotating shaft, is to protect heat sensitive structures of the apparatus from the heat provided by the heating mechanism for the substrate (see column 10, rows 23-67; column 14, rows 8-16 and 39-48; and column 17, rows column 17, rows 58-64).
- 9. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to have provided the cooling section in and around the rotating shaft in Sato and Heiber et al. as described above in order to cool at least one of the temperature measuring section the signal generating section as taught by Heiber et al.

Application/Control Number: 10/730,358 Page 4

Art Unit: 1763

10. The distal end of the thermocouple projects outwardly from a surface of the rotary table (64) so as to be brought into close relation or in contact with a bottom surface of the wafer. The additional recitations of claims 11-13 are addressed above.

- 11. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sato and Hieber et al. as applied to claims 1, 4 and 9-13, and further in view of U.S. Patent Pub. No. 2003/0168171 A1 to Tanaka et al.
- 12. Sato and Hieber et al. disclose the invention substantially as claimed and as described above.
- 13. However, Sato and Hieber et al. fail to teach the signal generating section comprises a detachable storage device.
- 14. Tanaka et al. teach the use of a detachable storage device in processing data associated with semiconductor manufacturing processes for the purpose of advantageously reducing the load on a data collecting device and for easily controlling collected data (paragraphs 44-48).
- 15. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to have provided the signal generating section comprising a detachable storage device in Sato and Hieber et al. in order to advantageously reduce the load on the data collecting device and easily control collected data as taught by Tanaka et al.
- 16. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hieber et al. and Nishizawa et al. as applied to claims 1, 4 and 9-13, and further in view of U.S. Patent No. 4,683,143 to Riley.
- 17. Sato and Hieber et al. disclose the invention substantially as claimed and as described above.
- 18. However, Sato and Hieber et al. fail to teach the signal generating section comprises a display device.
- 19. Riley teach the use of a display device for displaying processing conditions for the purpose of periodically updating a user regarding the status of a process while controlling a process (column row row 57, through column 2, row 5).

20. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to have provided a display device in Sato and Hieber et al. in order to periodically update a user regarding the status of a process while controlling the process as taught by Riley.

- 21. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sato, Hieber et al. and Tanaka et al. as applied to claim 3, and further in view of U.S. Patent No. 4,683,143 to Riley.
- 22. Sato, Hieber et al. and Tanaka et al. disclose the invention substantially as claimed and as described above.
- 23. However, while Heiber et al. do disclose the use of a computer/storage data reader (30) for accepting measured data from the apparatus, wherein the computer is located outside the chamber; Sato, Hieber et al. and Tanaka et al. fail to explicitly teach the apparatus further comprises a heater controlling section, also provided outside the chamber.
- 24. Riley discloses the use of a heater controller located outside a processing chamber for the purpose of controlling internal heaters used to regulate temperature of a processing apparatus (column 3, rows 47-56).
- 25. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to have provided a heater controller in Sato, Hieber et al. and Tanaka et al. in order to control internal heaters used to regulate temperatures of the processing apparatus as taught by Riley.
- 26. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sato and Heiber et al. as applied to claims 1, 4 and 9-13, and further in view of U.S. Patent No. 4,683,143 to Riley.
- 27. Sato and Heiber et al. disclose the invention substantially as claimed and as described above.
- 28. However, while Sato and Heiber et al. do disclose a receiver (29) for receiving the wireless signal form the transmitter, wherein the receiver is located outside the chamber; Sato and Heiber et al. fail to explicitly teach the apparatus further comprises a heater controlling section, also provided outside the chamber.

. Application/Control Number: 10/730,358

Art Unit: 1763

29. Riley discloses the use of a heater controller located outside a processing chamber for the

purpose of controlling internal heaters used to regulate temperature of a processing apparatus (column 3,

rows 47-56).

30. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention

was made to have provided a heater controller in Sato and Heiber et al. in order to control internal

heaters used to regulate temperatures of the processing apparatus as taught by Riley.

Response to Arguments

31. Applicant's arguments with respect to claims 1, 3-7 and 9-13 have been considered but are moot

in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should

be directed to Karla Moore whose telephone number is 571.272.1440. The examiner can normally be

reached on Monday-Friday, 9:00 am-6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Parviz Hassanzadeh can be reached on 571.272.1435. The fax phone number for the organization

where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application

Information Retrieval (PAIR) system. Status information for published applications may be obtained from

either Private PAIR or Public PAIR. Status information for unpublished applications is available through

Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC)

at 866-217-9197 (toll-free).

27 September 2006

Page 6